



INDEX OF SUBJECTS

A

- A fast one-pot multi-component synthesis of 3,4-dihydropyrimidin-2(1*H*)-ones in the presence of magnesium oxide as a highly effective heterogeneous base catalyst, I. MOHAMMADZADEH, M. BAVAF A and H. SHEIBANI 773
- A green one-pot synthesis of 1*H*- and 4*H*-chromenes derivatives using SiO₂-Pr-SO₃H, G. MOHAMMADI ZIARANI, A. BADIEI, Z. DASHTIANEH and P. HAJIABBASI 765
- A new *exo*-tridentate tris-pyridine ligand derived from 3-oxa-1,5-diazabicyclo[3.3.1]nonane and its dinuclear Cu(II) complex. Synthesis and crystal structures, A. M. MADALAN 829
- Activation of CH₃OH and CO₂ by metallophthalocyanine complexes: potential route to dimethyl carbonate, R. O. IONESCU, Y. PERES-LUCCHESI, S. CAMY, T. TASSAING, J.-F. BLANCO, G. ANNE-ARCHARD, D. RIBOUL and J.-S. CONDORET 759
- Ag-loaded hydroxyapatite coatings on polyurethane surfaces by biometric deposition, G. CIOBANU, S. ILISEI and C. LUCA 223
- Amperometric detection of glucose by electrocatalytic reduction at a copper-modified electrode, G. L. TURDEAN 729

B

- Biological activity of the oxidized polysaccharides, C. C. GAVĂT, C. V. UGLEA, C. V. GEORGESCU 479

C

- Characterization of some therapeutic muds collected at different sites in Roumania, T. SETNESCU, I. BANCUTA, R. SETNESCU, R. BANCUTA, A. CHILIAN, M. BUMBAC, E. D. CHELĂRESCU, O. CULICOV and M. FRONTASYEVA 599
- Chemical composition, antioxidant and antibacterial activity of essential oils from Moroccan aromatic herbs, G. PAUN, SRIRA Z., A. BOUTAKIOUT, O. UNGUREANU, D. SIMION, C. CHELARU and G. L. RADU 887
- Chitosan microparticulate systems prepared by polymer-surfactant interaction, S. PERETZ, M. FLOREA-SPIROIU, D. F. ANGHEL, C. STOIAN and G. ZGHEREA 275
- Chitosan-polyvinylpyrrolidone/ ellagic acid based membranes with controlled antioxidant properties, E. NEAGU, G. PAUN, A. ALECU and G. L. RADU 791
- Cobalt(II) complexes with hypervalent triarylphosphanes, R. MITEA, A. COVACI, C. SILVESTRU and A. SILVESTRU 265
- Complex of Cu(II), Co(II), Ni(II), Zn(II), Zr(IV), Ce(III), La(III) and UO₂(II) with arylazo pyrimidine derivatives, N. A. ABDALLA, M. T. EL-HATY, F. A.-E. ADAM and F. W. HASSAN 901
- Copper binding to SG and EE peptides as a function of pH. Implication for understanding amyloidogenesis, L. HABASESCU, G. ZBANCIOC, R. V. GRADINARU, M. MURARIU, L. FERENCZ and G. DROCHIOIU 501

D

- DABCO as a mild and efficient catalyst for the synthesis of tetrahydropyrimidines, N. FOROUGHIFAR, A. MOBNIKHALEDI, B. REBEIE and L. JALILI 491

E

- Effect of aluminium content from MCM-41-type silica materials on the irinotecan adsorption and its *in-vitro* release, L. BAJENARU, S. NASTASE, C. MATEI and D. BERGER 815
- Effect of metal ions on the chemical recycling of poly(ethylene terephthalate) in sulfuric acid, H. TUBEIKH, M. H. A. KURDI and Z. AJJI 887
- Effect of some new organic polymers as green corrosion inhibitors for brass in cooling water system, F. BRÂNZOI and V. BRÂNZOI 747
- Electrochemical approach for the sensitive determination of anticancer drug epirubicin in pharmaceuticals in the presence of anionic surfactant, B. BOZAL-PALABIYIK, S. KURBANOGU, M. GUMUSTAS, B. USLU and S. A. OZKAN 647
- Electrochemical methods for obtaining and characterization of polymeric films POPD and composite films POPD/CNTS with different additives on metallic substrate, F. BRÂNZOI, V. BRÂNZOI 737

Electrochemical study of 2,2-diphenyl-1-(2,4-dinitrophenyl)hydrazine and 2,2-diphenyl-1-(3,5-dinitropyridin-2-yl)hydrazine, C. C. ANDREI, D. BALA and C. MIHAILCIUC	399
Enantioselective, potentiometric membrane electrodes based on cyclodextrins for the assay of glyceric acid in urine and serum samples, R.-I. STEFAN-VAN STADEN, R. M. NEJEM and J. F. VAN STADEN	659
Evolution of bioactive compounds in fruit juice during preservation by refrigeration, I. MANEA	619

F

Fast NMR juice identification based on sugars and other plant metabolites from fruits, M. BALAN, A. NICOLESCU, C. STAVARACHE, M. CIOBANU and C. DELEANU	175
Fe-Zn-ZVT catalyst used in advanced oxidation processes of organic pollutants from wastewaters, S. BURCĂ, M. STANCA, C. INDOLEAN, C. MAJDIK and A. MĂICĂNEANU	19
Formation enthalpy for conformers of (3S,5S,6S)-6-acetylamidopenicillanic acid calculated by the PM6 and PM7 semiempirical MO methods, D. IVAN, S. FUNAR-TIMOFEI, M. MEDELEANU, Ma. MRACEC and Mi. MRACEC	463

H

Hermin <i>in vitro</i> interaction with the anticancer drug doxorubicin: absorption and emission monitoring, A. M. TOADER, M. ȚONE and E. VOLANSCHI	415
Hybrid polymer composite coatings based on photopolymerizable piperazine derivatives microfilled with TiO ₂ , V. MELINTE, T. BURUIANĂ, and E. C. BURUIANĂ	165
Hydrogel based on poly(N,N-dimethylacrylamide-co-3,9-divinyl-2,4,8,10-tetraoxaspiro(5.5)undecane) with dual sensitive behavior. Synthesis and characterization, L. E. NITA, A. P. CHIRIAC, M. T. NISTOR and I. NEAMTU	137

I

Identification of an EXOIII domain of a putative plant ERI-1 homologue, A. A. UDRISTE, V. STAN, M. TABLER and G. L. RADU	553
<i>In situ</i> electrical conductivity of propene interaction with SnO ₂ -CeO ₂ mixed oxides, A. VASILE, C. HORNOIU, V. BRATAN, D. NEGOESCU, M. CALDARARU, N. I. IONESCU, T. YUZHAKOVA and Á. RÉDEY	365
Induced chirality of genistein upon binding to albumin: circular dichroism and TDDFT study, I. MATEI, S. IONESCU and M. HILLEBRAND	409
Influence of caffeine on the passivity of cobalt-chromium-molybdenum alloy in artificial saliva, M. ROMAȘ, D. MARECI, S. CURTEANU and D. SUTIMAN	11
Influence of chemical composition of soil on metal accumulation in edible mushroom species of <i>Russula</i> genus, C. C. ELEKES and G. BUSUIOC	629
Influence of different process parameters upon microstructure of ZnO films prepared by spray pyrolysis, I. STAMBOLOVA, V. BLASKOV and O. DIMITROV	843
Influence of soil chemistry on the phytoremediation process, C. C. ELEKES	623
Influence of the alumina origin on the reductibility of NiO catalyst, E. E. KISS, G. C. BOSKOVIC	3
Inhibition effect of berberine on the corrosion of copper in acidic medium, N. KARADAS, A. AKBAȘ	639
Isolation and identification of microbial strains involved in industrial systems materials corrosion in aquatic environment, I. RAUT, M. CALIN, F. OANCEA, M. L. ARSENE and L. JECU	59

M

Mathematical modelling of the release profile of anthraquinone-derived drugs encapsulated on magnetite nanoparticles, A. DURDUREANU-ANGHELUȚĂ, S. BACAITA, V. RADU, M. AGOP, L.IGNAT, C. M. URITU, S. S. MAIER and M. PINTEALĂ	217
Method validation and uncertainty estimation for anionic surfactants determination from municipal wastewaters, C. DRAGHICI, D. COMAN, M. SICA and C. DIMA	711
Microwave-assisted synthesis of some novel benzimidazole compounds containing oxadiazole moiety, B. KAHVECI, N. SOSAN, E. MENTEȘE and F. YILMAZ	511
Molecular dynamics evaluation of hyaluronan interactions with dimethylsilanediol in aqueous solution, D. IVANOV and A. NEAMTU	229
Monolayer and bilayer conducting polymer coatings for corrosion protection of copper in 0.5 M H ₂ SO ₄ solutions, F. BRĂNZOI, V. BRĂNZOI and Z. PAHOM	49
Multivariate analysis applied to physicochemical parameters of treated wastewater effluents discharged in Teleajen River, Ș. IORDACHE and D. DUNEA	717

N

Nanoscale mechanical properties of single biomolecules by AFM, P. SCHÖN, M. GOSA and G. J. VANCOS	577
New approach on the role of a polymer matrix in the strong texturation of ZnO nanopowders, I. R. PREPELITA, N. VRINCEANU, R. CHITTA, R. P. DOBRIN, O. E. ALEXINSCHI, F. BRINZA, B. A. HAGIU and M. P. SUCHEA	871

New group 12 metal complexes with anionic $[\{OP(OEt)_2\}(SePPh_2)N]^-$ ligands, A. TOȚH, A. LUPAN, C. I. RAȚ, C. SILVESTRU and A. SILVESTRU	393
New substituted pyrroles obtained in searching for pyrrolo[1,2-a]quinazoline framework, D. DUMITRESCU, M. M. POPA, F. GEORGESCU, E. GEORGESCU, L. BARBU and F. DUMITRASCU	785
Ni(II) and Zn(II) complexes with a salen-type ligand derived from 1,3-bis(3-aminopropyl) tetramethylsiloxane, A. SOROCEANU, M. CAZACU, A. NISTOR and S. SHOVA	209
Novel triazolic copper(II) complex: synthesis, thermal behaviour and kinetic study, I. LEDEȚI, A. FULIAȘ, G. VLASE, T. VLASE and N. DOCA	441

O

Organic acids assessments in medicinal plants by capillary electrophoresis, G. TRUICĂ (BADEA), E. D. TEODOR and G. L. RADU	809
Optical and electrical properties of TiO ₂ thin films deposited by sol-gel method, M. BARTIC, L. SACARESCU and V. HARABAGIU	105
Optimization of barley husks acid hydrolysis process using the response surface methodology, P. E. DOBROVICI, A. I. SIMION, C. G. GRIGORAȘ and L. FAVIER – TEODORESCU	517

P

PEG in aqueous salt solutions. Viscosity and separation ability in a TiO ₂ suspension, C.-E. BRUNCHI and L. GHIMICI	183
Poly(ethylene glycol) – functionalized, water self-dispersible α -terthiophenes, A.-D. BENDREA, L. CIANGA and I. CIANGA	153
Poly(N,N-dimethylacrylamide-co-3,9-divinyl-2,4,8,10-tetraoxaspiro(5.5)undecane) synthesis as matrix ensuring intramolecular strategies for further coupling applications, A. P. CHIRIAC, M. T. NISTOR, L. E. NITA and I. NEAMTU	129
Pooled calibration and retention of outliers improve chemical analysis, J. E. T. ANDERSEN and H. S. H. ALFALOJE	691
Preparation, characterization and use of vanadatesulfuric acid as a new and eco-benign nanocatalyst for the synthesis of 14-aryl-14H-dibenzo[<i>A,J</i>] xanthenes under solvent-free conditions, M. NASR-ESFAHANI and T. ABDIZADEH	27
Preparation of hydrophobic and antireflective hybrid films by sol-gel process using perfluoroalkylsilane and tetraethoxysilane, V. PURCAR, S. CAPRARESCU, C. I. SPATARU, M. GHIUREA, V. RADITOIU, C. PETCU, R. SOMOGHI, M. C. COROBEA and D. DONESCU	283

R

Reaction of pyrylium perchlorates having long alkyl substituted with aminoacids, M. V. BOGĂȚIAN, G. BOGĂȚIAN, A. HÎRTOPEANU, C. DELEANU, A. NICOLESCU, M. MAGANU, P. FILIP	527
Reactions of substituted <i>gem</i> -dichlorocyclopropanes with phenols, G. Z. RASKILDINA, E. K. AMINOVA, A. N. KAZAKOVA, A. A. BOGOMAZOVA, N. N. MIKHAILOVA and S. S. ZLOTSKY	497
Recent results in food analysis with carbon paste electrodes: Organic constituents, additives and contaminants, Z. PAPP	855
Rheological investigation of xanthan/pluronic F127 hydrogels, M. BERCEA, R. N. DARIE and S. MORARIU	189
Role of time scales in heterogeneous catalytic oscillatory reactions, N. I. IONESCU	251

S

Selectivity in analytical chemistry, T. VERBIĆ, Z. DORKÓ and G. HORVAI	569
Separation and identification of antidepressant drugs in human plasma by SPE-TLC method, I. ALI, A. HUSSAIN, K. SALEEM and H.Y. ABOUL-ENEIN	585
Simultaneous determination of levodopa and carbidopa in pharmaceuticals by principal component regression, I. A. SIMA, R. D. NAȘCU-BRICIU and C. SÂRBU	705
Simultaneous determination of paracetamol, propyphenazone and caffeine from pharmaceutical preparations in the presence of related substances using a validated HPLC-DAD method, F. SOPONAR, D. STANILOAE, G. MOISE, B. SZANISZLO and V. DAVID	433
Sodium tetraborate/benzyltriethylammonium chloride-mediated synthesis of substituted cinnamic acids from aromatic aldehydes and aliphatic carboxylic acids, M. NECHIFOR, C. I. CHIRIAC and F. TANASA	161
Sol-gel hybrid nanocomposites with oxide nanoparticles, L. PREDOANA, M. GARTNER, V. S. TEODORESCU, M. NICOLESCU, M. ANASTASESCU and M. ZAHARESCU	239
Solid state study of the inclusion compounds of <i>alpha</i> -, <i>beta</i> - cyclodextrin with D-,L- tryptophan isomers, A. D. NEACȘU, A. NEACȘU, I. CONTINEANU, G. MUNTEANU and S. TĂNĂSESCU	855
Some photophysical and morphological properties of polyrotaxane based on fluorene derivatives, A. STEFANACHE, I. STOICA, A.-M. RESMARITA and A. FARCAS	197
Spectroscopic study of ammonia at subjects with kidney failure: a case control study, C. POPA, S. BANITA, M. PATACHIA and D. C. DUMITRAS	779
Structure-properties relationships in liquid crystal thiols, L. CSEH, G. Mehl	879
Study of the adsorption of acetic acid on silica gel in aqueous solution, S. L. NARGES	43
Study of fluorinated polyimides containing fused aromatic rings, M. BRUMA, M.-D. DAMACEANU, C.-P. CONSTANTIN and N. M. BELOMOINA	121

Supramolecular homometallic Cr(III) systems resulting from second coordination sphere interactions, V. IUCHA, R. GHEORGHE, A. M. MADALAN and M. ANDRUH	255
Surface analysis of a modern silver coin: SEM/ EDS measurements, Z. PAPP and I. KOVÁCS	65
Surface characterization of amine functionalized PET films after collagen immobilization, M. DROBOTA, M. AFLORI, I. STOICA and F. DOROFTEI	203
Surface modification of sol-gel hybrid films using fluorinated silica nanoparticles, V. PURCAR, D. DONESCU, I. C. SPATARU, M. GHIUREA, S. CAPRARESCU, C. PETCU, C. L. NISTOR	37
Structural characterization of nickel oxide obtained by thermal decomposition of polynuclear coordination compound $[\text{Ni}_2(\text{OH})_2(\text{H}_3\text{CCH}(\text{OH})\text{COO}^-)_2(\text{H}_2\text{O})_2 \cdot 0.5\text{H}_2\text{O}]_n$, M. NICULESCU, P. BUDRUGEAC	381
Studies for gold and silver recovery from waste electronic equipment, M. N. ȘTEFĂNUȚ, Z. ŪRMŌSI, A. CĂTA, P. SFIRLOAGĂ, C. TĂNASIE	673
Studies on the content of metals and pesticides in fruit growing areas and their ecotoxicological impact, L. MANEA and D. C. ALEXANDRESCU	611
Study of adsorption kinetics and zeta potential of phosphate and nitrate ions on a cellulosic membrane, G. NECHIFOR, D. E. PASCU, M. PASCU (NEAGU), G. A. TRAISTARU, A. A. BUNACIU and H. Y. ABOUL-ENEIN	591
Synthesis and characterization of the polynuclear coordination compound obtained through the reaction of 1,3-propanediol with $\text{Cu}(\text{NO}_3)_2 \cdot 3\text{H}_2\text{O}$, M. NICULESCU, P. BUDRUGEAC, I. LEDEȚI, V. PODE and M. BÎRZESCU	387
Synthesis and crystal structures of a tripodal ligand derived from 4,4'-dihydroxybiphenyl and its gadolinium(III) mononuclear complex, E. VULPE and A. M. MADALAN	823
Synthesis and crystal structure of new cyanide-bridged $[\text{Mn}^{\text{III}}_5\text{Mo}^{\text{IV}}]$ and $[\text{Mn}^{\text{III}}_2\text{Au}^{\text{I}}]$ heterometallic complexes, S. NASTASE, C. MAXIM, C. DUHAYON, J.-P. SUTTER and M. ANDRUH	355
Synthesis and properties of new 2-benzothiazole- and 2-benzoxazole-nitroaryl-sulfides, O. OPREA, M. BEM, M. T. CAPROIU, C. DRAGHICI, R. D. BARATOIU-CARPEN, A. C. RADUTIU, A. BETERINGHE, C. ENACHE, G. IONITA, T. CONSTANTINESCU and A. T. BALABAN	327
Synthesis and photophysical properties of the two branched carbazole-based polymers, A. M. CATARGIU, T. IVAN, L. VACAREANU and M. GRIGORAS	113

T

The phenol content, antioxidant activity and metal composition of the Serbian vineyard peach, S. S. MITIĆ, B. T. STOJANOVIĆ, A. N. PAVLOVIĆ, M. N. MITIĆ and M. B. STOJKOVIĆ	533
Theoretical study on the addition reaction mechanism between propadienylidene and formaldehyde: an alternative approach to the formation of furan, Y. JING, H. LIU, Y. YU, X. TAN, H. WANG, F. WANG, X. DU and Y. CHEN	799
Thermal and spectroscopic studies of Ni(II)-Fe(III) heteropolynuclear coordination compound obtained through the reaction of 1,2-ethanediol with metallic nitrates, M. NICULESCU, D. ROȘU, I. LEDEȚI, M. MILEA and P. BUDRUGEAC	543
Thermal behaviour of ZnO precursor powders obtained from aqueous solutions, S. MIHAIU, J. MADARÁSZ, G. POKOL, I. M. SZILÁGYI, T. KASZÁS, O. C. MOCIOIU, I. ATKINSON, A. TOADER, C. MUNTEANU, V. E. MARINESCU and M. ZAHARESCU	335
Thermal decomposition of PD doped 12-tungstophosphoric acid and some of its cesium salts, V. SASCA, O. VERDEȘ, L. AVRAM and A. POPA	451
Thermodynamic study of the liquid chromatography retention process for some pesticides on C8 and C18 silica-based stationary phases, J. PETRE, V. IANCU and V. DAVID	425
Thermokinetic study of the thermo-oxidative degradation of a composite epoxy resin material, P. BUDRUGEAC	371
Thixotropy and yield stress evaluation for clay aqueous dispersions, S. MORARIU, M. BERCEA	145
Transition temperatures and molecular interactions of polytetrahydrofuran/colesteril palmitate blends by principal component analysis, M.-C. POPESCU and B. C. SIMIONESCU	347

V

Validated electroanalytical and RP-LC assay of ertapenem in its pharmaceutical dosage form, M. GUMUSTAS, N. KARADAS and S. A. OZKAN	679
Vancomycin and teicoplanin based enantioselective, potentiometric membrane electrodes for the assay of L-cysteine, R.-I. ȘTEFAN-VAN STADEN and L. HOLO	667